FCRM PTO-1390 U.S. DEI (KEV. 11-2000)	PARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTORNEY'S DOCKET NUMBER				
TRANSMITTAL LETTER	3876-0104P					
DESIGNATED/ELECTE	U.S. APPLICATION NO. (If known, see 37 CFR 1.5)					
CONCERNING A FILING	10,0000614					
INTERNATIONAL APPLICATION NO.	INTERNATIONAL FILING DATE	PRIORITY DATE CLAIMED				
PCT/DK00/00561	October 6, 2000	October 6, 1999				
TITLE OF INVENTION						
A METHOD OF MANUFACTURING AND U	JSING A SUPERCONDUCTING TAPE, E	SPECIALLY WHEN SAID TAPE IS TO				
APPLICANT(S) FOR DO/EO/US	BE WOUND ON A COIL					
	SKOV-HANSEN, Peder	<u> </u>				
Applicant herewith submits to the United States	Designated/Elected Office (DO/EO/US) the following	owing items and other information:				
1. This is a FIRST submission of items conce	erning a filing under 35 U.S.C. 371.					
2. This is a SECOND or SUBSEQUENT sul	bmission of items concerning a filing under 35 U.S.	.C. 371.				
	examination procedures (35 U.S.C. 371(f)) at					
1 5 3	applicable time limit set in 35 U.S.C. 371(b)					
	tion of 19 months from the priority date (Artic	le 31).				
5. A copy of the International Application		D				
	ed only if not transmitted by the International l	Bureau). WO 01/26120				
b. has been transmitted by the Int	ernational Bureau. on was filed in the United States Receiving Of	Fice (PO/IS)				
	he International Application as filed (35 U.S.C					
a. is transmitted herewith.	ne international Application as med (55 0.5.c	5. 5/1(c)(2)).				
b. has been previously submitted	under 35 U.S.C. 154(d)(4)					
	rnational Application under PCT Article 19 (3	5 U.S.C. 371(c)(3))				
	red only if not transmitted by the International					
b. have been transmitted by the International Bureau.						
1 = =						
d. have not been made and will n	_					
8. An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).						
9. An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).						
10. An English language translation of the annexes of the International Preliminary Examination Report under PCT Article 36						
(35 U.S.C. 371(c)(5)).						
Items 11. to 20. below concern document(s)	or information included:					
		0() 17 10 . 1				
An Information Disclosure Statemen (PCT/ISA/210) with 2 cited docume	t under 37 CFR 1.97 and 1.98, Form PTO-144	9(s), and International Search Report				
	ng. A separate cover sheet in compliance with	37 CFR 3.28 and 3.31 is included.				
13. A FIRST preliminary amendment.	ng. 11 separate cover sheet in comprisince with	or or resize and sist is mended.				
14. A SECOND or SUBSEQUENT prel:	iminary amendment.					
15. A substitute specification.	•					
16. A change of power of attorney and/o	r address letter.					
	uence listing in accordance with PCT Rule 13	ter.2 and 35 U.S.C. 1.821-1.825.				
18. A second copy of the published inter	national application under 35 U.S.C. 154(d)(4).				
19. A second copy of the English langua	ge translation of the international application u	under 35 U.S.C. 154(d)(4).				
20. Other items or information:						
	PCT/IPEA/409 and Amended Claims					
2. Two (2) Sheets of Formal Drawing	g₀					

JC10 Rec'd PCT/PTO 0 2 APR 2002

LIS. APPLICATED NO (if known, see 37 C	78. APPLICATED NO (1f known, see 37 CFR 1 5) INTERNATIONAL APPLICATION NO					ATTORNEY'S DOCKET NUMBER			
10 YE	189614		PCT/DK00/005	61	3876-0104P				
21. The following fees a					CAL	CULATIONS	PTO USE ONLY		
BASIC NATIONAL F									
Neither international preliminary examination fee (37 CFR 1.482)									
nor international search									
and International Searce	ch Report not prepare	d by the I	EPO or JPO	\$1,040.00					
International prolimina	m, avamination foo (2	7 CED 1.	192) not naid to						
International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO									
USPTO but International Search Report prepared by the EPO or JPO									
International preliminary examination fee (37 CFR 1.482) not paid to USPTO									
but international search fee (37 CFR 1.445(a)(2)) paid to USPTO									
International prelimina	ry examination fee (3	7 CFR 1.	482) paid to USPTO	0740.00					
but all claims did not sa	atisfy provisions of P	CT Articl	e 33(1)-(4)	\$710.00					
International prelimina		7 CED 1	492) poid to USDTO						
			1)-(4)	\$100.00					
			FEE AMOUNT =	\$100.00	\$	1040.00			
	· · · · · · · · · · · · · · · · · · ·			N 20					
Surcharge of \$130.00 fo				⊠ 30	\$	130.00			
months from the earlies	NUMBER FIL		NUMBER EXTRA	RATE	_				
CLAIMS Total Claims	7 - 20 =	ED	0	X \$18.00	6	0			
					\$	0			
Independent Claims	1 - 3 =		0	X \$84.00	\$	0			
MULTIPLE DEPENDI				+ \$280.00	\$	280.00			
	T	OTAL C	OF ABOVE CALCULA	TIONS =	\$	1450.00			
	nall entity status. See	37 CFR	1.27. The fees indicated ab-	ove are	\$	0			
reduced by 1/2.					_				
				FOTAL =	\$	1450.00			
Processing fee of \$130.	00 for furnishing the	English ti	ranslation later than	20 🔲 30	\$	0			
months from the earlies	st claimed priority dat	e (37 CFI		+		1.170.00			
		- CED 4	TOTAL NATIONA		\$	1450.00			
Fee for recording the er	nclosed assignment (3	7 CFR 1.	21(h)). The assignment m 3.28, 3.31). \$40.00 per pro	ust be perty +	\$	0			
accompanied by an app	ropriate cover sheet (37 CFK 3	TOTAL FEES ENC		\$	1450.00			
			TOTAL FEES ENC.	LUSED -	_	Amount to be:			
7						refunded	\$		
						charged	\$		
a. M A check in the ar	mount of \$ <u>1450.00</u> t	o cover th	ne above fees is enclosed.						
b. Please charge m	v Deposit Account. N	o.	in the amount of \$	to c	over tl	he above fees.			
	y of this sheet is enclo								
	in the analysis asset to a micro	ad ta ahan	era any additional face which	sh may he re	mirad	or credit any			
			ge any additional fees which	in may be rec	quireu,	, or credit any			
overpayment to Deposit Account No. <u>02-2448</u> .									
NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.									
1.137(a) or (b)) mus	st be filed and grante	ed to rest	ore the application to per	iding status.					
Send all correspondence to									
Birch, Stewart, Kola	asch & Birch, LLP	or Custo	mer No. 2292						
P.O. Box 747									
Falls Church, VA 22040-0747						1			
(703) 205-8000				_	۸۸	J M			
Date: April 2, 2002				$By \subseteq \mathcal{U}$	1116	Surrey 10 1v	m		
				Joe M	cKinn	ey Muncy, #32,	334		
,						1	(

10/089614 IC10 Rec'd PCT/PTO 02 APR 2002

PATENT 3876-0104P

IN THE U.S. PATENT AND TRADEMARK OFFICE

Applicant:

SKOV-HANSEN, Peder

Int'l. Appl. No.:

PCT/DK00/00561

Appl. No.:

NEW

Group:

Filed:

April 2, 2002

Examiner:

For:

A METHOD OF MANUFACTURING AND USING A SUPERCONDUCTING TAPE, ESPECIALLY WHEN SAID TAPE IS TO BE WOUND ON A

COIL

PRELIMINARY AMENDMENT

BOX PATENT APPLICATION

Assistant Commissioner for Patents Washington, DC 20231

April 2, 2002

Sir:

The following Preliminary Amendments and Remarks are respectfully submitted in connection with the above-identified application.

AMENDMENTS

IN THE SPECIFICATION:

Please amend the specification as follows:

Before line 1, insert --This application is the national phase under 35 U.S.C. § 371 of PCT International Application No. PCT/DK00/00561 which has an International filing date of October 6, 2000, which designated the United States of America.--

In the Claims:

Please amend the claims as follows:

- 2. (Amended) A method according to claim 1, characterized in that the superconducting tape is wounded in a radius of curvature range including a radius of curvature being smaller than the final radius of curvature as well as a radius of curvature exceeding said final radius of curvature.
- 3. (Amended) A method according to claim 1 or 2, characterized in that the tape is wound with a radius where the tape brittles if it is subjected to a strain after the sintering.
- 4. (Amended) A method according to claim 1, characterized in that after the sintering, the superconducting tape is wound on a holder without being subjected to a stain beyond the range resulting n a critical strain of 1%, preferably 0.40%.
- 5. (Amended) A method according to claim 4, characterized in that said holder being a coil holder.
- 6. (Amended) A method according to claim 1, characterized in that prior to the sintering, the superconducting tape is provided with one or several bending radii, whereby the tape does not

brittle when it after sintering is provided with its final radius of curvature.

REMARKS

The specification has been amended to provide a crossreference to the previously filed International Application.

The Amendment to the claims is merely to delete improper multiple dependencies and to place the application into better form for examination. The claims have also been amended to correct typographical errors.

Entry of the above amendments is earnestly solicited. An early and favorable first action on the merits is earnestly solicited.

Attached hereto is a marked-up version of the changes made to the application by this Amendment.

If necessary, the Commissioner is hereby authorized in this, concurrent, and future replies, to charge payment or credit any overpayment to Deposit Account No. 02-2448 for any additional fees required under 37 C.F.R. § 1.16 or under 37 C.F.R. § 1.17; particularly, extension of time fees.

Respectfully submitted,

BIRCH, STEWART, KOLASCH & BIRCH, LLP

P.O. Box 747 Falls Church, VA 22040-0747

(703) 205-8000

KM/sl 3876-0104P

Attachment: VERSION WITH MARKINGS TO SHOW CHANGES MADE

(Rev. 02/21/02)

VERSION WITH MARKINGS TO SHOW CHANGES MADE

IN THE CLAIMS:

The claims have been amended as follows:

- 2. (Amended) A method according to claim 1, [characterised] characterized in that the superconducting tape is wounded in a radius of curvature range including a radius of curvature being smaller than the final radius of curvature as well as a radius of curvature exceeding said final radius of curvature.
- 3. (Amended) A method according to [any of the claims 1 and 2] claim 1 or 2, [characterised] characterized in that the tape is wound with a radius where the tape brittles if it is subjected to a strain after the sintering.
- 4. (Amended) A method according to [any one of the claims 1 to 3] claim 1, [characterised] characterized in that after the sintering, the superconducting tape is wound on a holder without being subjected to a stain beyond the range resulting n a critical strain of 1%, preferably 0.40%.
- 5. (Amended) A method according to claim 4, [characterised] characterized in that said holder being a coil holder.

6. (Amended) A method according to [any one of the claims 1 to 5] claim 1, [characterised] characterized in that prior to the sintering, the superconducting tape is provided with one or several bending radii, whereby the tape does not brittle when it after sintering is provided with its final radius of curvature.

2/PRTS

10/089614 IC10 Rec'd PCT/PTO 0 2 APR 2002 PCT/DK00/00561

1

Title: A method of manufacturing and using a superconducting tape, especially when said tape is to be wound on a coil.

Technical Field.

WO 01/26120

The invention relates to a method of manufacturing and using a superconducting tape, especially when said tape is to be wound into a coil.

Background Art

US-PS No. 5,531,015 discloses two principles for the winding procedure.

- 1. Wind and react or
- 2. React and wind.
- The first method involves winding a superconducting tape to a mandrel with or without intermediate insulating layers followed by a sintering in an oven. This method presents high requirements to the mandrel and to the properties of the insulating layers with respect to absorption of heat, and it is suited for the manufacture of coils with a small radius.
- The second method involves a winding up of the tape with a relatively large radius followed by the tape wound up being sintered in an oven. Not until now the tape is wound onto a mandrel. However, during the winding procedure a risk applies of the superconducting material of the tape brittling due to the small bending radius. The latter applies especially to the manufacture of small coils where the tape is subjected to particularly extensive deformations during the winding procedure.

Brief Description of the Invention.

15

2

The object of the invention is to provide a method of manufacturing superconducting tapes with small radii of curvature, especially small coils not encumbered with the above draw-backs.

A method of the above type is according to the invention characterised in that prior to the sintering in an oven, the superconducting tape is wound up with a radius of curvature dimensioned in such a way that the curvature is adapted to a specific application, whereafter the sintering is carried out.

As a result the sintering can be carried out before the tape is wound on a mandrel.

In this manner it is possible to manufacture even small coils without the use of
special mandrels and insulating layers which can tolerate high temperatures.

Moreover, the superconducting tape may according to the invention be wound up or bent into one or more radii of curvature prior to the sintering, said radii of curvature being dimensioned in such a way that within a predetermined radius of curvature range said radius of curvature is adapted to a specific application, whereby the said radius of curvature range corresponds to the range defining the handling and winding extent of the tape without involving a brittling of the superconducting material.

Furthermore, the said radius of curvature range may according to the invention include a radius of curvature being smaller than the final radius of curvature as well as a radius of curvature exceeding said final radius of curvature.

20 Prior to the sintering, the superconducting tape may according to the invention be provided with one or more bending radii, whereby said tape does not brittle when it is placed in the application in question after the sintering.

Brief Description of the Drawings

WO 01/26120

. 10

PCT/DK00/00561

3

The invention is explained in greater detail below with reference to the accompanying drawings, in which

Fig. 1 illustrates a superconducting tape wound into a so-called "pancake shape" for the sintering,

5

10

25

Fig. 2 illustrates the sintered tape wound on a coil holder, and

Fig. 3 shows the maximum strain in a superconducting tape versus an amendment of the radius of curvature for two different values of the initial radius of curvature.

Best Mode for Carrying Out the Invention

The known "React and Wind" method involves a winding of the tape so as to allow the tape to be placed in an oven for an annealing of the superconducting material. It is, of course, not possible to place several km of tape in an oven without said tape being wound up. Such a wound up tape is ordinarily called a "pancake-shaped" superconducting tape. Such pancake-shaped tapes are for instance described in EP 0631331 in the name of Sumitomo Electric Industries. Such a wound up tape is encumbered with the draw-back that microcracks can arise in the superconducting material in case said material is bent too much or if said material is subjected to a too extensive deformation. The inventors have tried to map these circumstances, and Fig. 3 illustrates the strain versus the radius of curvature of two different initial radii of curvature. It appears that it is much easier to increase the radius of curvature without involving a too extensive strain than to reduce said radius of curvature. When a strain of for instance 0.40%, viz. a critical strain, is acceptable, the possible range of radius of curvature without exceeding the superconducting properties can be deduced from the graph with the initial radius of curvature in question. Sometimes a critical strain of up to 1% is acceptable, cf. US-PS No. 5,531,015.

10

15

20

25

4

According to the present invention the superconducting tape is provided with a radius of curvature, viz. is subjected to a deformation, prior to the annealing, and within the range appearing from Fig. 3 this radius of curvature is close to the final radius of curvature, viz. the resulting deformation. The radius of curvature can be slightly smaller or slightly larger than the final radius of curvature. In this manner it is possible to avoid a deformation of the tape to such an extent that microcracks arise during the following placing of said superconducting tape on for instance a mandrel, viz. a coil holder, with intermediate layers of insulating material, i.e. without being subjected to a strain beyond the range of the radius of curvature. In addition, the advantage is obtained that it is possible to use a mandrel and intermediate insulating material not tolerating the high sintering temperatures of typically 900°C. In other words a free choice applies with respect to the material used for the mandrel and the insulating layers, which in practice turned out to be a vital factor.

However, during the manufacturing process it is important that a predetermined operating margin applies to the radius of curvature of the superconducting tape, and it is thanks to the inventor that these margins have now been mapped and quantified, cf. Fig. 3.

It appears furthermore from the curve of Fig. 3 that the initial radius of curvature should rather be too small than too large because it is much easier to carry out a strain than to carry out a further bending. However, with respect to the handling it is an advantage that it is possible to subject the tape to a strain.

In general, the superconducting tape can be wound with a radius of curvature implying that the tape brittles when it is subjected to a strain after the sintering, and according to a particular embodiment the superconducting tape is provided with one or several bending radii, whereby it does not brittle when it is placed in the application after said sintering.

WO 01/26120

PCT/DK00/00561

5

The tape is preferably a multi-filament tape because such tapes are more tolerant to bending than the mono-filament tapes.

<u>Claims</u>

15

- 1. A method for the production of a wound superconducting tape with a final radius of curvature comprising the steps of:
- i. Winding the superconducting tape with a radius of curvature dimensioned in such a way that the curature is adapted to a specific application having said final radius of curvature;
 - ii. sintering said superconducting tape in an oven: and
 - iii. providing said wounded tape with its final radius of curvature,
- wherein said radius of curvature wound in said step of winding the superconducting tape includes a radius of curvature being smaller than the final radius of curvature.
 - 2. A method according to claim 1, c h a r a c t e r i s e d in that the superconducting tape is wounded in a radius of curvature range including a radius of curvature being smaller than the final radius of curvature as well as a radius of curvature exceeding said final radius of curvature.
 - 3. A method according to any of the claims 1 and 2, characterised in that the tape is wound with a radius where the tape brittles if it is subjected to a strain after the sintering.
- A method according to any one of the claims 1 to 3, c h a r a c t e r i s e d in that
 after the sintering, the superconducting tape is wound on a holder without being subjected to a stain beyond the range resulting in a critical strain of 1%, preferably 0.40%.
 - 5. A method according to claim 4, characterised in that said holder being a coil holder.

7

6. A method according to any one of the claims 1 to 5, c h a r a c t e r i s e d in that prior to the sintering, the superconducting tape is provided with one or several bending radii, whereby the tape does not brittle when it after sintering is provided with its final radius of curvature.



(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 12 April 2001 (12.04.2001)

PCT

(10) International Publication Number WO 01/26120 A2

- (51) International Patent Classification7:
- H01F 6/00
- (21) International Application Number: PCT/DK00/00561
- (22) International Filing Date: 6 October 2000 (06.10.2000)
- (25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

PA 1999 01432

6 October 1999 (06.10.1999) DK

- (71) Applicant (for all designated States except US): NORDIC SUPERCONDUCTOR TECHNOLOGIES A/S [DK/DK]; Priorparken 685, DK-2605 Brøndby (DK).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): SKOV-HANSEN, Peder [DK/DK]; Nattergalevej 44, 2. th., DK-2400 Copenhagen NV (DK).
- (74) Agent: CHAS. HUDE A/S; H.C. Andersens Boulevard 33, DK-1780 Copenhagen V (DK).


- (81) Designated States (national): AE, AG, AL, AM, AT, AT (utility model), AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, CZ (utility model), DE, DE (utility model), DK, DK (utility model), DM, DZ, EE, EE (utility model), ES, FI, FI (utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (utility model), SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

 Without international search report and to be republished upon receipt of that report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: A METHOD OF MANUFACTURING AND USING A SUPERCONDUCTOR TAPE, ESPECIALLY WHEN SAID TAPE IS TO BE WOUND ON A COIL



(57) Abstract: A method for the use of a superconducting tape, especially for the winding of a superconducting tape to a coil. According to the invention, the superconducting tape is wound with a radius of curvature adapted to a specific application before it is subjected to a sintering in an oven, whereafter the sintering is carried out. Thus the sintering can be carried out before a winding to a mandrel is carried out. As a result it is possible to manufacture even small coils without the use of special mandrels and insulating layers which can tolerate high temperatures.



01/26120 A2

WO 01/26120

1/2




Fig 1
(prior art)




Fig 2

2/2




Fig 3

Attorney Docket No. 3876-0104P

I hereby appoint the practitioners at CUSTOMER NO. 2292 as my attorneys or agents to prosecute this application and/or an international application based on this application and to transact all business in the United States Patent and Trademark Office connected therewith and in connection with the resulting patent based on instructions received from the entity who first sent the application papers to the practitioners, unless the inventor(s) or assignee provides said practitioners with a written notice to the contrary:

Send Correspondence to:

BIRCH, STEWART, KOLASCH & BIRCH, LLP or CUSTOMER NO. 2292

P.O. Box 747 • Falls Church, Virginia 22040-0747

Telephone: (703) 205-8000 • Facsimile: (703) 205-8050

PLEASE NOTE: YOU MUST COMPLETE THE POLLOWING:

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full Manne or First or Sole Inventor Inspect Margo of Inventor Inspect Date This paged Date This Descurrent is sagned.	GIVEN NAME/I-AMILY NAME	INVENTOR'S SIGNATURE	<u> </u>	13, may 2002			
Descriment to patient	Peder SKOV-HANSEN	Sode des-U-	T compressions				
Insert Kontdonen Insert Chismoduly	Residence (City, State & Country)		CITIZENSHI	٢			
t. De armo	Copenhagen, DENMARK DKX		DANISH				
Insert Field Officer Address	MAIUNG ADDRESS (Complete Street Address including City, State & Country)						
	Nattergalevej 44, 2.th. DK-2400 Copenhagen NV DENMARK						
Full Manne of Svecond Inventor, 11 anys www.abspe-	GIVEN NAME/FAMITY NAME	INVENTOR'S SIGNATURE		DATE*			
	Residence (City, State & Country)		CITIZENSHI	P			
	MAILING ADDRESS (Complete Street Address including City, State & Country)						
full Name of Thirs	GIVEN NAME/FAMILY NAME	INVENTOR'S SIGNATURE		DATE*			
loverstor, if any, are above	0,-2,1,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,			2			
	Residence (City, State & Country)	<u></u>	CITIZENSHI	,			
ì							
	MAILING ADDRESS (Complete Street Address including City, State & Country)						
full Name of Franth Invantor, it any: we above	GIVEN NAME/FAMILY NAME	INVENTOR'S SIGNATURE		DATE*			
	Residence (City, State & Country)		CITIZENSHII	•			
	MAILING ADDRESS (Complete Street Address	including City, State & Country)	l				
	MAILING ADDRESS (Complete Street Address	including City, State & Country)	<u> </u>				
iull Name of Fifth Investige, If any	MAILING ADDRESS (Complete Street Address GIVEN NAME/FAMILY NAME	including City, State & Country) INVENTOR'S SIGNATURE		DATE*			
lavenus, if any		· · · · · · · · · · · · · · · · · · ·	CITIZENSHII				
lavenus, if any	GIVEN NAME/FAMILY NAME	INVENTOR'S SIGNATURE	СПІΖЕМЯНШ				
lavenus, if any	GIVEN NAME/FAMILY NAME Residence (City, State & Country)	INVENTOR'S SIGNATURE	CITIZENSHII				
Investor, if any new above; New above; New above;	GIVEN NAME/FAMILY NAME Residence (City, State & Country) MAILING ADDRESS (Complete Street Address	INVENTOR'S SIGNATURE including City, State & Country)	CTTZENSHII				
Jaruszag, ji any een uluwi	GIVEN NAME/FAMILY NAME Residence (City, State & Country)	INVENTOR'S SIGNATURE	CTIZENSHII				
Investage, if any new above; new above; and Name of Skills (noverbor, if any)	GIVEN NAME/FAMILY NAME Residence (City, State & Country) MAILING ADDRESS (Complete Street Address	INVENTOR'S SIGNATURE including City, State & Country)	CITIZENSHII	DATE*			
Investage, if any new above; new above; and Name of Skills (noverbor, if any)	GIVEN NAME/FAMILY NAME Residence (City, State & Country) MAILING ADDRESS (Complete Street Address GIVEN NAME/FAMILY NAME	INVENTOR'S SIGNATURE including City, State & Country)		DATE*			
Investage, if any new above; new above; and Name of Skills (noverbor, if any)	GIVEN NAME/FAMILY NAME Residence (City, State & Country) MAILING ADDRESS (Complete Street Address GIVEN NAME/FAMILY NAME	INVENTOR'S SIGNATURE including City, State & Country) INVENTOR'S SIGNATURE		DATE*			
Investage, if any new above; new above; and Name of Skills (noverbor, if any)	GIVEN NAME/FAMILY NAME Residence (City, State & Country) MAILING ADDRESS (Complete Street Address GIVEN NAME/FAMILY NAME Residence (City, State & Country)	INVENTOR'S SIGNATURE including City, State & Country) INVENTOR'S SIGNATURE		DATE*			

Page 2 of 2 (Rev. 12/19/01)

*DATE OF SIGNATURE

Attorney Docket No. 3876-0104P

PLEASE NOTE: YOU MUST COMPLETE THE FOLLOWING BIRCH, STEWART, KOLASCH & BIRCH, LLP
P.O. Box 747 • Falls Church, Virginia 22040-0747
Telephone: (703) 205-8000 • Facsimile: (703) 205-8050

COMBINED DECLARATION AND POWER OF ATTORNEY FOR PATENT AND DESIGN APPLICATIONS

As a below named inventor, I hereby declare that: my residence, post office address and cutzenship are as stated next to my name; that I verily believe that I am the original, first and sole inventor (if only one inventor is named below) or an original, first and joint inventor (if plural inventors are named below) of the subject matter which is claimed and for which a patent is sought on the

	invention entitled:		·			•			
Insert Title.	A METHIOD OF MANUFACTURING AND USING A SUPERCONDUCTING TAPE, ESPECIALLY, WHEN SAID TAPE IS TO BE WOUND ON A COIL.								
Fill in Appropriate			ereto. If not attached her						
Information - For Use Wilhout	the specification was filed on United States Application Number and amended on								
Specification	and amended a	m				(if applicable	and/or		
Attached.	me specurcatio	n was nied on					_ as rc1		
	International Application Number amended on					(if applicable)			
	I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as								
	amended by any amendment referred to above. Lacknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, §1.56								
	I do not know and do not believe the same was ever known or used in the United States of America before my or our invention thereof, or patented or described in any printed publication in any country before my or our invention thereof or more than one year prior to this application, that the same was not in public use or on sale in the United States of America more than one year prior to this application, that the invention has not been patented or made the subject of an inventor's certificate issued before the date of this application in any country foreign to the United States of America on an application filed by me or my legal representative or assigns more than twelve months (six months for designs) prior to this application, and that no application for patent or inventor's certificate on this invention has been filed in any country foreign to the United States of America prior to this application by me or my legal representatives or assigns, except as follows. I hereby claim foreign priority benefits under Title 35, United States Code, \$119(a)-(d) of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for mixentor inventor's certificate having a filing date before that of the application on which priority is claimed:								
Police Police	Prior Foreign App	lication(s)	•			Priority (Claimed		
insert Prionty Information:	_								
(if appropriate)	(Number)	(Country)		(Month/Day/Year I	iled)	Yes	No		
					_				
	(Number)	(Country)		(Month/Day/Year I	iled)	Yes	No		
	(Number)	(Country)		(Month/Day/Year F	iled)	Yes	No		
	(Number)	(Country)		(Month/Day/Year F	ilad\	☐ Yes	□ No		
	•	,	B ** * 10	, , , , , , , , , , , , , , , , , , , ,	•				
	I hereby claum the be	nefit under Title 3	5, United States Code, \$1	19(e) of any United State	s provisional appl	ications(s) li	sted below.		
Invert Provisional Application(s): (if any)	(Application Number	r)	·	(Filing Date)					
	(Application Number) (Filing Date)								
	All Foreign Applications, if any, for any Patent or Inventor's Certificate Filed More than 12 Months (6 Months for Designs) Prior to the Filing Date of This Application.								
	Country		Application Number	Date of	Filing (Month/D	ay/Year)			
insert Requested information: (if appropriate)									
	I hereby claim the benefit under Title 35, United States Code, \$120 of any United States and/or PCT application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States and/or PCT application in the manner provided by the first paragraph of Title 35, United States Code, \$112, I acknowledge the duty to disclose mformation which is material to the patentability as defined in Title 37, Code of Federal Regulations, \$1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application								
nsert Prior U.S. Application(s): if any)	(Application Numbe	r)	(Filing Date)	(Status	- patented, pendi	ng abandon	ed)		
	(Application Numbe	r)	(Filing Date)	(Status	- patented, pendi	ng, abandon	2d)		